

Nambu-like odd bracket on Grassmann algebra

Dmitrij V. Soroka and Vyacheslav A. Soroka

Kharkov Institute of Physics and Technology

1 Akademicheskaya St., 61108 Kharkov, Ukraine

E-mail: dsoroka@kipt.kharkov.ua, vsoroka@kipt.kharkov.ua

ABSTRACT: The Grassmann-odd Nambu-like bracket corresponding to an arbitrary Lie algebra and realized on the Grassmann algebra is proposed.

KEYWORDS: Nambu-like Odd Bracket, BRST Symmetry.

Dedicated to Nikita Dmitriyevich Soroka.

Contents

1. Introduction	1
2. Nambu-like odd bracket	2
3. Conclusion	4

1. Introduction

In the paper [1] the Grassmann-odd Nambu [2] bracket corresponding to the $SO(3)$ group and built up only of the Grassmann variables θ_α has been introduced. The purpose of the present paper is to extend this construction onto an arbitrary Lie group.

In [3, 4, 5, 6] the linear odd bracket corresponding to an arbitrary Lie group and realized solely on the Grassmann variables has been proposed

$$\{A, B\}_1 = A \overleftarrow{\partial}_{\theta_\alpha} c_{\alpha\beta}{}^\gamma \theta_\gamma \overrightarrow{\partial}_{\theta_\beta} B, \quad (1.1)$$

where $c_{\alpha\beta}{}^\gamma$ are structure constants, $\overleftarrow{\partial}$ and $\overrightarrow{\partial}$ are the right and left derivatives and $\partial_{\theta_\alpha} \equiv \frac{\partial}{\partial \theta_\alpha}$. It was constructed for this bracket at once three Grassmann-odd nilpotent Δ -like differential operators of the first, second and third orders with respect to the Grassmann derivatives

$$\Delta_{+1} = \theta^\alpha \theta^\beta c_{\alpha\beta}{}^\gamma \partial_{\theta_\gamma}, \quad (1.2)$$

$$\Delta_{-1} = \frac{1}{2} c_{\alpha\beta}{}^\gamma \theta_\gamma \partial_{\theta_\alpha} \partial_{\theta_\beta}, \quad (1.3)$$

$$\Delta_{-3} = \frac{1}{3!} c_{\alpha\beta\gamma} \partial_{\theta_\alpha} \partial_{\theta_\beta} \partial_{\theta_\gamma}, \quad (1.4)$$

where

$$c_{\alpha\beta\gamma} = c_{\alpha\beta}{}^\lambda g_{\lambda\gamma}$$

and

$$g_{\alpha\beta} = c_{\alpha\lambda}{}^\gamma c_{\beta\gamma}{}^\lambda$$

is the Cartan-Killing metric tensor. The raising of the indices

$$\theta^\alpha = g^{\alpha\beta} \theta_\beta$$

is performed in the case of a semi-simple group with the help of the inverse tensor $g^{\alpha\beta}$

$$g^{\alpha\beta}g_{\beta\gamma} = \delta_\gamma^\alpha.$$

The operator Δ_{+1} is proportional to the second term in a BRST charge

$$Q = \theta^\alpha G_\alpha - \frac{1}{2}\theta^\alpha\theta^\beta c_{\alpha\beta}{}^\gamma \partial_{\theta^\gamma},$$

where θ^α and ∂_{θ^α} represent the operators for the ghosts and ghost momenta respectively and G_α are generators of the arbitrary Lie algebra. The operator Δ_{-1} related to the divergence of the vector field $\{\theta_\alpha, A\}_1$

$$\Delta_{-1}A = -\frac{1}{2}\partial_{\theta_\alpha}\{\theta_\alpha, A\}_1 \quad (1.5)$$

is proportional to the true Δ -operator for the odd bracket (1.1). The operator Δ_{-1} (1.5) determines the linear odd bracket (1.1) as a deviation of the Leibniz rule under the usual multiplication

$$\Delta_{-1}(A \cdot B) = (\Delta_{-1}A) \cdot B + (-1)^{p(A)}A \cdot \Delta_{-1}B + (-1)^{p(A)}\{A, B\}_1.$$

and simultaneously satisfies the Leibniz rule with respect to the linear odd bracket composition

$$\Delta_{-1}(\{A, B\}_1) = \{\Delta_{-1}A, B\}_1 + (-1)^{p(A)+1}\{A, \Delta_{-1}B\}_1,$$

where $p(A)$ is a Grassmann parity of the quantity A .

In the present paper we show that the operator Δ_{-3} (1.4) is related with the Grassmann-odd Nambu-like bracket on the Grassmann algebra. This bracket corresponds to an arbitrary Lie algebra.

2. Nambu-like odd bracket

By applying the operator Δ_{-3} (1.4) to the usual product of two quantities A and B , we obtain

$$\Delta_{-3}(A \cdot B) = (\Delta_{-3}A) \cdot B + (-1)^{p(A)}A \cdot \Delta_{-3}B + (-1)^{p(A)}\Delta(A, B), \quad (2.1)$$

where the quantity $\Delta(A, B)$ is

$$\Delta(A, B) = \frac{1}{2}c_{\alpha\beta\gamma} \left[(\partial_{\theta_\alpha}\partial_{\theta_\beta}A) \partial_{\theta_\gamma}B + (-1)^{p(A)}(\partial_{\theta_\alpha}A) \partial_{\theta_\beta}\partial_{\theta_\gamma}B \right]. \quad (2.2)$$

By acting with the operator Δ_{-3} on the usual product of three quantities A , B and C , we come to the following relation:

$$\begin{aligned} \Delta_{-3}(A \cdot B \cdot C) &= (\Delta_{-3}A) \cdot B \cdot C + (-1)^{p(A)}A \cdot (\Delta_{-3}B) \cdot C + (-1)^{p(A)+p(B)}A \cdot B \cdot \Delta_{-3}C \\ &\quad + (-1)^{p(A)}\Delta(A, B)C + (-1)^{p(A)p(B)+p(A)+p(B)}B\Delta(A, C) \\ &\quad + (-1)^{p(A)+p(B)}A\Delta(B, C) + (-1)^{p(B)}\{A, B, C\}_1, \end{aligned} \quad (2.3)$$

where the last term is the Grassmann-odd Nambu-like bracket

$$\{A, B, C\}_1 = c_{\alpha\beta\gamma} \partial_{\theta_\alpha} A \partial_{\theta_\beta} B \partial_{\theta_\gamma} C \quad (2.4)$$

on the Grassmann algebra.

The divergence of the Nambu-like odd bracket (2.4) is related with the quantity $\Delta(A, B)$ (2.2) (see also [7])

$$\Delta(A, B) = \frac{1}{2} \partial_{\theta_\alpha} \{\theta_\alpha, A, B\}_1, \quad (2.5)$$

whereas the multiplication on the Grassmann variable θ^α gives the linear odd bracket (1.1)

$$\{A, B\}_1 = \theta^\alpha \{\theta_\alpha, A, B\}_1. \quad (2.6)$$

Note also the following relation between the operator Δ_{-3} (1.4) and odd Nambu-like bracket (2.4):

$$\Delta_{-3} A = \frac{1}{3!} \partial_{\theta_\alpha} \partial_{\theta_\beta} \{\theta_\alpha, \theta_\beta, A\}_1. \quad (2.7)$$

For the operator Δ_{-3} (1.4) there exists the following “Leibniz rule” with respect to the odd Nambu-like bracket composition:

$$\begin{aligned} \Delta_{-3}(\{A, B, C\}_1) = & - \{\Delta_{-3} A, B, C\}_1 + (-1)^{p(A)} \{A, \Delta_{-3} B, C\}_1 \\ & - (-1)^{p(A)+p(B)} \{A, B, \Delta_{-3} C\}_1 \\ & + c_{\alpha\beta\gamma} \left[(-1)^{p(A)+1} \Delta(\partial_{\theta_\alpha} A, \partial_{\theta_\beta} B) \partial_{\theta_\gamma} C \right. \\ & + (-1)^{p(A)+p(B)} \partial_{\theta_\alpha} A \Delta(\partial_{\theta_\beta} B, \partial_{\theta_\gamma} C) \\ & \left. + (-1)^{p(A)p(B)+1} \partial_{\theta_\beta} B \Delta(\partial_{\theta_\alpha} A, \partial_{\theta_\gamma} C) \right]. \end{aligned} \quad (2.8)$$

It follows from the expression (2.4) for the odd Nambu-like bracket the Grassmann parity

$$p(\{A, B, C\}_1) = p(A) + p(B) + p(C) + 1 \pmod{2}, \quad (2.9)$$

symmetry properties

$$\{A, B, C\}_1 = -(-1)^{[p(A)+1][p(B)+1]} \{B, A, C\}_1 = -(-1)^{[p(B)+1][p(C)+1]} \{A, C, B\}_1 \quad (2.10)$$

and Jacobi type identity

$$\begin{aligned} & \{\{A, B, C\}_1, D, E\}_1 + (-1)^{[p(A)+1][p(B)+p(C)+p(D)+p(E)]} \{\{B, C, D\}_1, E, A\}_1 \\ & + (-1)^{[p(A)+p(B)][p(C)+p(D)+p(E)+1]} \{\{C, D, E\}_1, A, B\}_1 \\ & + (-1)^{[p(D)+p(E)][p(A)+p(B)+p(C)+1]} \{\{D, E, A\}_1, B, C\}_1 \\ & + (-1)^{[p(E)+1][p(A)+p(B)+p(C)+p(D)]} \{\{E, A, B\}_1, C, D\}_1 \\ & + (-1)^{[p(D)+p(E)][p(A)+p(B)+p(C)+1]+p(B)[p(A)+1]+p(A)} \\ & \times \{\{D, E, B\}_1, A, C\}_1 \\ & + (-1)^{[p(D)+1][p(A)+p(B)+p(C)]+p(D)} \{\{D, A, B\}_1, C, E\}_1 \end{aligned}$$

$$\begin{aligned}
& + (-1)^{[p(A)+1][p(B)+p(C)+p(D)+p(E)]+[p(D)+1]p(E)+p(D)} \\
& \times \{\{B, C, E\}_1, D, A\}_1 \\
& + (-1)^{[p(B)+1][p(C)+p(D)+p(E)]+p(B)} \{\{A, C, D\}_1, E, B\}_1 \\
& + (-1)^{[p(B)+1][p(C)+p(D)+p(E)+1]+[p(D)+1][p(E)+1]} \\
& \times \{\{A, C, E\}_1, D, B\}_1 = 0.
\end{aligned} \tag{2.11}$$

Note that the structure of (2.11) is different from the one for the fundamental identity [8].

3. Conclusion

Thus, we constructed the Grassmann-odd Nambu-like bracket which corresponds to the arbitrary Lie algebra and are realized on the Grassmann algebra. The main properties of this bracket are also given.

Acknowledgments

One of the authors (V.A.S.) thanks the administration of the Office of Associate and Federation Schemes of the Abdus Salam ICTP for the kind hospitality at Trieste where this work has been started.

References

- [1] D.V. Soroka and V.A. Soroka, *Odd Nambu bracket on Grassmann algebra*, hep-th/0608052.
- [2] Y. Nambu, *Generalized Hamiltonian dynamics*, Phys. Rev. **D 7** (1973) 2405.
- [3] V.A. Soroka, *Linear odd Poisson bracket on Grassmann variables*, Phys. Lett. **B 451** (1999) 349; hep-th/9811252.
- [4] V.A. Soroka, *Supersymmetry and the odd Poisson bracket*, Nucl. Phys. **101** (Proc. Suppl.) (2001) 26; hep-th/0204018.
- [5] D.V. Soroka and V.A. Soroka, *Lie-Poisson (Kirillov) odd bracket on Grassmann algebra*, Proceedings of the XXIII International Colloquium "Group Theoretical Methods in Physics" (GROUP 23, July 31 – August 5, JINR, Dubna, Russia, 2000) Vol. 1, pp. 106-111, Dubna, 2002.
- [6] D.V. Soroka and V.A. Soroka, *Poisson-Lie odd bracket on Grassmann algebra*, SIGMA **2** (2006) Paper 036; hep-th/0603148.
- [7] M. Sakakibara, *Notes on the super Nambu bracket*, Prog. Theor. Phys. **109** (2003) 305; math-ph/0208040.
- [8] L. Takhtajan, *On foundation of the generalized Nambu mechanics*, Commun. Math. Phys. **160** (1994) 295.